

Webcams

TAA / NDAA Certified

AVerMedia



Model	PW310P	PW313	PW315	PW313D	PW513	PW515
MSRP	\$59.99	\$59.99	\$119.99	\$149.99	\$199.99	\$219.99
Resolution / FPS	Full HD 1080p30	Full HD 1080p30	Full HD 1080p60	Left: Full HD 1080p30 Right: 2Kp30	4Kp30/1080p60	4Kp30/1080p60
Diagonal Field of View	73°	73°	95°	Left: 71° Right: 76°	94°	100°
Autofocus	✓	N/A	N/A	✓	N/A	✓
Microphone	2 omni-directional stereo	2 omni-directional mono	2 omni-directional stereo	2 omni-directional mono	2 omni-directional stereo	2 omni-directional stereo
AI framing / ePTZ	N/A	N/A	✓	N/A	✓	✓
CamEngine Support	✓	✓	✓	✓	✓	✓
Privacy Shutter	✓	✓	✓	✓	✓	✓
Connectivity	USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB3.0/2.0	USB3.0/2.0
3-Year Warranty*	✓	✓	✓	✓	✓	✓
Certification	N/A			N/A		
Designed For	Video conferencing, distance learning	Video conferencing, distance learning	Video conferencing, live streaming	Video conferencing, online teaching	Video conferencing, content creators	High-quality video conferencing

For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.

Speakerphones

TAA / NDAA Certified

AVerMedia



Model	AS311	AS315
MSRP	\$149.99	\$179.99
Product Name	Professional AI Speakerphone	Pocket Speaker Hub
Connection Type	USB-C to USB-A cable	USB-C
Speaker	3W (max.)	3W (max.)
Speaker Frequency Response	150 Hz -14 Hz	150 Hz -14 Hz
Microphone Coverage	360 degrees, Omni-directional	360 degrees, Omni-directional
Microphone Sensitivity	-29 dB V/Pa at 1 kHz	-30 dB V/Pa at 1 kHz
Mic. Pickup Range	3 m / 9.84 ft. (unobstructed)	3 m / 9.84 ft. (unobstructed)
Weight	195 g (6.8 oz.)	145.4 g (0.32 lb)
Dimensions	4.7 x 3.1 x 1.6 in. (120 x 80 x 40 mm)	3.78 x 1.10 in. (96mm x 28 mm)
Advanced Features	AI-Power noise reduction, Intuitive call controls, Echo cancellation	AI noise reduction, Intuitive volume controls, Echo cancellation, Cable management, HDMI and USB ports
I/O Extension	N/A	1 x HDMI 1.4 1 X USB-C 3.2 1 X USB-A 3.2
Designed For	Remote working and distance learning	Video conferencing

For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.

Mic Kit & Audio System

TAA / NDAA Certified

AVerMedia



Model	AW315F
MSRP	\$399.95
Product Name	Wireless Microphone Kit (Dual Mics, Antenna Receiver and Charging dock)
Connection Type	Audio input, Audio line-out/ headphones (mini-phone stereo 3.5 mm), USB (micro-USB)
Power Supply	5V/2A
RF Frequency Range	2.4~2.483GHz
Audio Frequency Response	100Hz~8kHz
Microphone Battery Life	350mAh Lithium Rechargeable (8 hours)
Microphone Sensitivity	-39 dB ref. 1K@1V
Operating Range	15-20 meters (50-65 feet)
Weight	Microphone: 32g (1.13 oz.) Receiver: 146g (5.2 oz.)
Dimensions	Microphone: 30 x 80 x 25mm Receiver: 135 x 71.16 x 23.6mm
Advanced Features	Wireless auto pairing, Wall-mountable, 30 minutes auto power-off, Firmware upgradeable via USB, Mic volume notification sound
I/O Extension	Mic. (TX) I/O: Micro USB, Audio Input Receiver (RX) I/O: Micro USB, Audio Input, Audio Output (3.5mm/6.3mm) External Antenna, Mode Switch Charging Dock: Micro USB / 2 Slots
Designed For	Classroom teaching

Tech Specs	AW330	
MSRP	\$499	
Product Name	Wireless Classroom Audio System	
Carries Frequencies	2.4 GHz unlicensed ISM Band	
RF Frequency Range	2.4~2.483 GHz	
Modulation Method	2FSK	
Operation Temperature	15~20 meters / 50~65ft (line of sight)	
	Speaker	Microphone
Audio	Audio DSP Processing, Anti-Howling, Noise Reduction	Frequency Response: 100Hz~10K Hz
User Controls	Power, volume	Power, volume up & down
DC Adapter	9V / 2A	5V / 2A
Batteries	2600 mah Lithium Rechargeable	350 mah Lithium Rechargeable (8 hours continuous usage)
Weight	600g / 1.32 lbs	32g / 0.07 lbs
Dimensions	70 x 90 x 212mm 2.76 x 3.54 x 8.35in	30 x 80 x 25mm 1.18 x 3.15 x 0.98in
I/O Extension	Power jack & Aux-in jack	High sensitive mic, mic input, micro USB connector for charging
Designed For	Classroom teaching	

For more details, please contact us at:

sales@avermedia.com

www.avermedia.com


©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.

Mic Kit & Audio System

TAA Certified

AVerMedia

Model	AW111
MSRP	\$399.99
Product Name	Wireless Expansion Microphone Kit
Highlights	- Plug and play with Mingle Bar. - No need for expensive or messy wiring during installation. - Optimize audio capture for nearby keynote speakers. - Utilize AI noise reduction.
Mic Pickup Distance	Omnidirectional 3 m/9.84 ft. radius
Receiver	1 pc
Expansion Mic	2 pcs
Data Transfer	Wireless 5GHz
Wireless RF	5.8 GHz (5.2 GHz for Japan)
Receiver Power	USB 2.0 Type A
Battery	2800 mAh
Working Duration (after fully charged)	20 Hours+
Mic Power	USB 2.0 Type C
Dimensions	12 x 8 x 4 cm (4.7 x 3.1 x 1.6 in.)
Buttons	- AI NR - LED brightness adjustment - Power on/off - Mic mute/unmute - Pairing
Designed For	Ideal for use in medium-sized conference rooms



For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.

Video Bar

TAA / NDAA Certified

AVerMedia



Model	PA511D
MSRP	\$599.99
Product Name	Mingle Bar
Image Sensor	SONY STARVIS™4K CMOS Image Sensor
Max. Resolution/Frame Rate	3840x2160/30fps
Focus Method (Lens Type)	Fixed Focus
Format	MJPEG, YUY2, and NV12 of UVC 1.0
Microphone	Dual Omnidirectional Microphones with Beamforming
Microphone Sensitivity	-37 dBFS, SNR 66 dB(A)
Microphone Pickup Distance	4m/13.12 ft.
Acoustic Noise Reduction	Yes
Firmware Update	Yes
Mounting	Monitor Clip, Desktop Stand, Tripod Thread
Weight	555 g / 19.6 oz
Dimensions	295 x 70.4 x 78.7mm 11.6 x 2.8 x 3.1in.
Advanced Features	Wireless auto pairing, Wall-mountable, 30 minutes auto power-off, Firmware upgradeable via USB, Mic volume notification sound
I/O Extension	HDMI (4K), USB-A 3.1, RJ45, Aux port for recommended expansion microphone (optional)
Designed For	Phone Room and Small Conference Rooms

For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.

Audio System

Model	GS-68C	GS-68CM
MSRP	\$199.95	\$249.95
Product Name	Soundbar	Soundbar w/ Mounting Kit
Highlights	Audio output: 2.1 Channel with built-in subwoofer, Coaxial input, Optical input, Line in input, USB input, LED indicator, Digital amplifier with DSP inside, Plastic case, Remote control	
Power Supply	120V ~ 60Hz	
Power Output	20W*2+40W=80W R.M.S.	
Driver Unit	2"*2+2.25"*2	
Input Impedance	4Ω*2+3Ω*2	
S / N	≥72dB	
Frequency Response	80Hz-20Khz	
Distortion	</=0.5%(1K/1W)	
Input Sensitivity	800mV±50mV	
Bluetooth Version	4.2+EDR	
Bluetooth Range	within 10m	
Dimensions HxDxW	2.75" (H) X 3.07" (D) X 35.43" (L) 70(H) X 78(D) X 900(L) mm	
Additional Features	- Audio enhancement for interactive touch display - Designed to be mounted on the wall or on a credenza	
Designed For	Classroom teaching	



For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

Capture Cards

External

AVerMedia



Model	GC553G2	GC551G2	GC553	GC513	GC311	BU113
MSRP	\$299.99	\$169.99	\$199.99	\$139.99	\$99.99	\$99.99
Product Name	Live Gamer ULTRA 2.1	Live Gamer EXTREME 3	Live Gamer Ultra	Live Gamer Portable 2 PLUS	Live Gamer MINI	Live Streamer CAP 4K
Product Positioning	Premium	Mainstream	Mainstream	Mainstream	Essential	Essential
Designed For	Console Game Live Streaming	Console Game Live Streaming	Console Game Live Streaming	Record on the go , portable & PC-free	Quick & easy to use for beginner	DSLR/Camcorder link to PC
Operating System	PC	PC / MAC	PC / MAC	PC / MAC	PC / MAC	PC / MAC
PC Interface	USB 3.2 Gen 2 Type-C (10Gbps)	USB 3.1 (Gen 1) Type-C	USB 3.1 (Gen 1) Type-C	Micro USB 2.0	Micro USB 2.0	USB 3.2 Gen 1 Type-C
I/O Extension	HDMI 2.1	HDMI 2.0	HDMI 2.0	HDMI 2.0	HDMI 2.0	HDMI 2.0
Max. Pass through Resolution	2160p144 HDR/VRR, 3440x1440p120 HDR/VRR, 1440p240 HDR/VRR, 1080p360 HDR/VRR	2160p60 HDR, 1440p120 HDR/VRR, 1080p240 HDR/VRR	2160p60 HDR, 1440p144, 1440p120 VRR, 1080p240, 1080p120 VRR	2160p60, 1080p60	1080p60	2160p60 HDR, 1440p144, 1080p60
Max. Capture Resolution	2160p144 (Windows*), 2160p60 (MacOS) *via RECentral	2160p30	2160p30 / 1440p60 / 1080p120 / 1080p60 HDR	1080p60	1080p60	2160p30, 1080p60 HDR

For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.

Capture Cards

Internal

AVerMedia



Model	GC575	GC573	GC570D	GC571	GC570
MSRP	\$269.99	\$249.99	\$249.99	\$179.99	\$149.99
Product Name	Live Gamer 4K 2.1	Live Gamer 4K	Live Gamer DUO	Live Streamer Ultra HD	Live Gamer HD 2
Product Positioning	Premium	Premium	Mainstream	Essential	Essential
Designed For	Pro Game Streamer with HDMI 2.1 compatible games, consoles	Pro Streamer Focus on high-quality recording	Dual HDMI inputs	Live Streaming Newcomer	Live Streaming Beginner
Operating System	PC	PC / MAC	PC / MAC	PC / MAC	PC / MAC
PC Interface	PCIe Gen 3 x4	PCIe Gen 2 x4	PCIe Gen 2 x4	PCIe Gen 3 x1	PCIe Gen 2 x1
Video Input	HDMI 2.1	HDMI 2.0	Input 1: HDMI 2.0 * 1 Input 2: HDMI 1.4 * 1	HDMI 2.0	HDMI
Video Output	HDMI 2.1	HDMI 2.0	HDMI 2.0	HDMI 2.0	HDMI
Max. Pass through Resolution	2160p144 HDR/VRR, 1440p240 HDR/VRR, 1080p360 HDR/VRR	2160p60 HDR 1440p144 1080p240	2160p60 HDR /1440p144/ 1080p240 (Input 1)	2160p60 HDR/VRR 1440p60 HDR/VRR 1080p240 HDR/VRR	1080p60
Max. Capture Resolution	2160p60 2160p30 HDR	2160p60 HDR	2160p30 / 1440p60 / 1080p120 / 1080p60 HDR	2160p30	1080p60

For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.

Microphone

Live Streamer

AVerMedia



Model	AM350	AM330	AM310
MSRP	\$179.99	\$119.99	\$89.99
Product Name	Live Streamer Mic 350	Live Streamer Mic 330	Live Streamer Mic 310
Microphone Type	Condenser Electret	Dynamic	Condenser Electret
Polar Pattern	Cardioid Omni-directional	Cardioid	Cardioid
Designed For	Audio input for live streaming / Podcast / Instrument / Online Teaching / Learning	Broadcast / Podcast / Bring studio audio quality / home with affordable price	Best consumers budget, with best result
Sample Rate	96 kHz	-	48 kHz
Resolution	24-bit	-	16-bit
Sensitivity	-41 dB	-52 ± 3 dB	-60 ± 5 dB
Frequency Response	20–20KHz	50Hz–18KHz	20–20KHz
Connector	USB	XLR	USB
Monitor	Microphone input & System audio (Adjustment separately)	-	Microphone input / System audio (Either one)
Operating System	PC / Mac / Android / iPad OS (Type-C)	-	PC / MAC

For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.

GO Series

Capture & Multi-Port Wall Chargers



Model	GC313PRO
MSRP	\$129.99
Product Name	Elite GO
Power AC Pin	US
Input	AC 100-240V~50/60Hz
Output	USB-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/4.5A, 20V/5A USB-A: 5V/1A
Interfaces	1 x HDMI 2.0, 2 x USB-C 3.0, 1 x USB-A 3.0
Audio Output	Stereo
Charging	100W GaN Charger with FHD Video Capture
Video Format	YUV422, MJPEG
Fast Charging Protocol	PD 3.0
Overload Protection	Short Circuit, Over Current, Over Voltage, Over Temperature
Max. Pass-Through Resolution	4K60
Max. Capture Resolution	1080p60
Dimensions WxDxH	66 x 36.6 x 62 mm (2.60 x 1.44 x 2.44 in.)
Designed For	Enthusiasts that require faster charging times and greater power efficiency for live capturing

Model	GC313
MSRP	\$89.99
Product Name	Core GO
Power AC Pin	US
Input	AC 100-240V~50/60Hz
Output	USB-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/4.5A, 20V/5A USB-A: 5V/1A
Interfaces	1 x HDMI 2.0, 2 x USB-C 3.0, 1 x USB-A 3.0
Charging	100W GaN Charger with 4K HDMI Output
Overload Protection	Short Circuit, Over Current, Over Voltage, Over Temperature
Max. Pass-Through Resolution	4K60
Dimensions WxDxH	66 x 36.6 x 62 mm (2.60 x 1.44 x 2.44 in.)
Designed For	Professionals that require faster charging times and greater power efficiency

For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.

GO Series

Capture Dock

AVerMedia

Model	GC515
MSRP	\$199.99
Product Name	X'tra GO
Colors	Black and White
Video Input (Console)	USB-C 3.0
Video Output (Pass-through)	HDMI 2.0
Video Format	H.264/H.265
Max. Pass-Through Resolution	2160p60, 1080p120
Max. Capture Resolution	2160p30, 1440p60, 1080p120
Supported Resolution	2160p, 1440p, 1080p, 720p, 576p, 480p
Dimensions WxDxH	141 x 99.4 x 37.7 mm (5.55 x 3.91 x 1.48 in.)
Weight	176 g (6.21 oz.)
System Requirements	
Operating System	Windows® 10 x64 / 11 x64 or later
Desktop	Intel® Core i5-6XXX / AMD Ryzen 3 XXX or above NVIDIA® GTX 1060 / AMD RX 5700 or above
Laptop	Intel® Core i7-7700HQ+NVIDIA® GeForce® GTX 1050Ti or above
Recommended RAM	8 GB
Designed For	Live Capture Streaming, Charging



For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.

Live Streamer BA311

Accessories



Model	BA311
MSRP	\$179.99
Product Name	Live Streamer ARM
Boom Arm Type	Tube-style aluminum
Max Horizontal Rotation	360 degrees
Max Vertical Rotation	135 degrees Max Horizontal Extension: 870 mm (34.3 in) Max Holding
Audio Mixer	2160p144 HDR/VRR, 1440p240 HDR/VRR, 1080p360 HDR/VRR
Weight	1.8 kg (63.4oz) Desk Mount: C-clamp (up to 50mm/2.1in) Cable Management: Built-in cable management Dimension: 870 x 82 x 50 mm (34.3 x 3.2 x 1.9in) Weight: Arm – 1.4kg (50.9oz) C-Clamp – 0.4kg (17.3oz)
Designed For	Streamers, Vtubers, Content Creation

For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.

Live Streamer AX310

Control Center

AVerMedia

Model	AX310
MSRP	\$349.99
Product Name	Creator's Control Center
Audio Channels	6 Tracks (3 physical input & 3 virtual tracks)
LCD Screen	5" Touchscreen
Buttons	4
Knobs	6
Interface	HDMI 2.1
Audio Mixer	2160p144 HDR/VRR, 1440p240 HDR/VRR, 1080p360 HDR/VRR
RGB	2160p60 2160p30 HDR
Designed For	Streamers, Vtubers, Content Creation



For more details, please contact us at:

sales@avermedia.com

www.avermedia.com

©2022 by AVerMedia Technologies, Inc. All rights reserved. No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice.